



Configuration Fields

Customer Two-Factor Authentication

Guide for Magento administrators, technical project owners, and implementation teams.

LAST UPDATED
2026-08-31

SOURCE
[Open this article
online](#)

EXTENSION
[Magento 2 Extension Customer Two-
Factor Authentication](#)

Configuration Fields

This reference lists the settings exposed by `mageb2b/customer-tfa` in Magento Admin.

Configuration paths are included for controlled deployments and `config:set`. Use Magento Admin for normal changes so field validation and scope inheritance still apply. The extension status display is not listed because it reports installation state rather than a configurable value.

Two-Factor Authentication

Field	Configuration path	Input	Scope
Enable TFA for Customers	<code>customertfa/general/enabled</code>	Select	Default, Website, Store view
Mandatory TFA for Customers	<code>customertfa/general/mandatory</code>	Select	Default, Website, Store view
Disable TFA During Admin Login as Customer	<code>customertfa/general/disable_for_login_as_customer</code>	Select	Default, Website, Store view
Issuer Name	<code>customertfa/general/issuer_name</code>	Text	Default, Website, Store view
Recovery Codes Count	<code>customertfa/general/recovery_codes_count</code>	Text	Default, Website, Store view
Setup Secret Lifetime	<code>customertfa/general/setup_secret_lifetime</code>	Text	Default, Website, Store view
Maximum Verification Attempts	<code>customertfa/general/max_verification_attempts</code>	Text	Default, Website, Store view
Allow Customers to Regenerate Recovery Codes	<code>customertfa/general/allow_recovery_code_regeneration</code>	Select	Default, Website, Store view
Recovery Code Regeneration Authentication	<code>customertfa/general/recovery_code_regeneration_auth</code>	Select	Default, Website, Store view

Field	Configuration path	Input	Scope
Allow Customers to Disable TFA	<code>customertfa/general/allow_customer_disable</code>	Select	Default, Website, Store view

Visibility dependencies:

- `customertfa/general/mandatory` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/disable_for_login_as_customer` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/disable_for_login_as_customer` is available when `customertfa/general/mandatory` is 1.
- `customertfa/general/issuer_name` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/recovery_codes_count` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/setup_secret_lifetime` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/max_verification_attempts` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/allow_recovery_code_regeneration` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/recovery_code_regeneration_auth` is available when `customertfa/general/enabled` is 1.
- `customertfa/general/recovery_code_regeneration_auth` is available when `customertfa/general/allow_recovery_code_regeneration` is 1.
- `customertfa/general/allow_customer_disable` is available when `customertfa/general/enabled` is 1 and `customertfa/general/mandatory` is 0.