



# Configuration Fields

## Order Split

Guide for Magento administrators, technical project owners, and implementation teams.

LAST UPDATED  
2026-08-29

SOURCE  
[Open this article online](#)

EXTENSION  
[Magento 2 Extension Order Split](#)

# Configuration Fields

This reference lists the settings exposed by `mageb2b/order-split` in Magento Admin.

Configuration paths are included for controlled deployments and `config:set`. Use Magento Admin for normal changes so field validation and scope inheritance still apply. The extension status display is not listed because it reports installation state rather than a configurable value.

## General Settings

| Field                                  | Configuration path                                      | Input        | Scope                        |
|----------------------------------------|---------------------------------------------------------|--------------|------------------------------|
| Enable Order Split                     | <code>ordersplit/general/enabled</code>                 | Select       | Default, Website, Store view |
| Vendor Product Attribute               | <code>ordersplit/general/vendor_attribute_code</code>   | Select       | Default, Website, Store view |
| Behavior When Vendor Is Missing        | <code>ordersplit/general/missing_vendor_behavior</code> | Select       | Default, Website, Store view |
| Allowed Payment Methods                | <code>ordersplit/general/allowed_payment_methods</code> | Multi-select | Default, Website, Store view |
| Behavior for Disallowed Payment Method | <code>ordersplit/general/on_disallowed_payment</code>   | Select       | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/general/vendor_attribute_code` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/general/missing_vendor_behavior` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/general/allowed_payment_methods` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/general/on_disallowed_payment` is available when `ordersplit/general/enabled` is 1.

## Inventory (MSI)

| Field                                     | Configuration path                                           | Input  | Scope                        |
|-------------------------------------------|--------------------------------------------------------------|--------|------------------------------|
| Use MSI Source Selection                  | <code>ordersplit/inventory/use_msi</code>                    | Select | Default, Website, Store view |
| Source Selection Algorithm                | <code>ordersplit/inventory/source_selection_algorithm</code> | Select | Default, Website, Store view |
| Behavior When MSI Is Disabled             | <code>ordersplit/inventory/on_msi_disabled</code>            | Select | Default, Website, Store view |
| Behavior When Source Cannot Be Determined | <code>ordersplit/inventory/on_source_missing</code>          | Select | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/inventory/use_msi` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/inventory/source_selection_algorithm` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/inventory/source_selection_algorithm` is available when `ordersplit/inventory/use_msi` is 1.
- `ordersplit/inventory/on_msi_disabled` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/inventory/on_source_missing` is available when `ordersplit/general/enabled` is 1.
- `ordersplit/inventory/on_source_missing` is available when `ordersplit/inventory/use_msi` is 1.

## Order Numbering

| Field              | Configuration path                       | Input  | Scope                        |
|--------------------|------------------------------------------|--------|------------------------------|
| Numbering Mode     | <code>ordersplit/numbering/mode</code>   | Select | Default, Website, Store view |
| Base Suffix Format | <code>ordersplit/numbering/format</code> | Text   | Default, Website, Store view |

| Field                | Configuration path                             | Input | Scope                        |
|----------------------|------------------------------------------------|-------|------------------------------|
| Start Index          | <code>ordersplit/numbering/start_index</code>  | Text  | Default, Website, Store view |
| Max Conflict Retries | <code>ordersplit/numbering/max_attempts</code> | Text  | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/numbering/mode` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/numbering/format` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/numbering/format` is available when `ordersplit/numbering/mode` is `base_suffix`.
- `ordersplit/numbering/start_index` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/numbering/start_index` is available when `ordersplit/numbering/mode` is `base_suffix`.
- `ordersplit/numbering/max_attempts` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/numbering/max_attempts` is available when `ordersplit/numbering/mode` is `base_suffix`.

## Discount Handling

| Field               | Configuration path                     | Input  | Scope                        |
|---------------------|----------------------------------------|--------|------------------------------|
| Discount Split Mode | <code>ordersplit/discounts/mode</code> | Select | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/discounts/mode` is available when `ordersplit/general/enabled` is `1`.

## Shipping Handling

| Field               | Configuration path                    | Input  | Scope                        |
|---------------------|---------------------------------------|--------|------------------------------|
| Shipping Split Mode | <code>ordersplit/shipping/mode</code> | Select | Default, Website, Store view |

| Field                                    | Configuration path                                 | Input  | Scope                        |
|------------------------------------------|----------------------------------------------------|--------|------------------------------|
| Behavior When Shipping Method Is Missing | <code>ordersplit/shipping/on_missing_method</code> | Select | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/shipping/mode` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/shipping/on_missing_method` is available when `ordersplit/general/enabled` is `1`.

## Tax Handling

| Field          | Configuration path               | Input  | Scope                        |
|----------------|----------------------------------|--------|------------------------------|
| Tax Split Mode | <code>ordersplit/tax/mode</code> | Select | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/tax/mode` is available when `ordersplit/general/enabled` is `1`.

## Frontend Settings

| Field                | Configuration path                              | Input     | Scope                        |
|----------------------|-------------------------------------------------|-----------|------------------------------|
| Show Checkout Notice | <code>ordersplit/frontend/notice_enabled</code> | Select    | Default, Website, Store view |
| Checkout Notice Text | <code>ordersplit/frontend/notice_text</code>    | Text area | Default, Website, Store view |

Visibility dependencies:

- `ordersplit/frontend/notice_enabled` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/frontend/notice_text` is available when `ordersplit/general/enabled` is `1`.
- `ordersplit/frontend/notice_text` is available when `ordersplit/frontend/notice_enabled` is `1`.